

BID PACK 2 - CENTRAL ELEMENTARY - ROOF REPLACEMENT


PUBLIC SCHOOLS OF PETOSKEY

410 STATE STREET, PETOSKEY, MI 49770









ROOF CORE LEGEND


RC #1 EPDM MEMBRANE, 7 1/2" OVERALL INSULATION = (3) LAYERS OF 2" EPS + (1) LAYER OF 1" EPS, METAL DECK

RC #2 EPDM MEMBRANE, 4" OVERALL INSULATION = (2) LAYERS OF 1 1/2" EPS + (1) LAYER OF 1" EPS, METAL DECK

RC #3 EPDM MEMBRANE, Y" WERALL INSULATION = (3) LAYERS OF 2" EPS + (1) LAYER OF 1 1/2" EPS, METAL DECK

RC #4 @ROOF DRAIN - EPDM MEMBRANE, 4" OVERALL INSULATION = (2) LAYERS OF 1 1/2" EPS + (1) LAYER OF 1" EPS, METAL DECK

architektura PLC PO Box 971 Grand Haven, MI 49417 **p:** 616.843.1002 www.architekturaplc.com



ROOF DEMOLITION NOTES

ENCOUNTERED. NOTIFY THE OWNER OF SUSPECT AREA SO PROPER ABATEMENT CAN BE EXISTING MECHANICAL, ELECTRICAL, PLUMBING, OR ARCHITECTURAL ITEMS. ALL DEMOLITION WHICH DAMAGE ADJACENT SURFACES IS TO BE REPAIRED TO MATCH THE CONTRACTOR TO PROTECT ALL ADJACENT WORK TO REMAIN DURING DEMOLITION. B. ADDITIONAL TEST CORES MAY BE DONE AT CONTRACTOR'S EXPENSE TO VERIFY INSULATION

DEMOLITION CONTRACTOR IS TO STOP WORK IMMEDIATELY IN AREA IF ASBESTOS IS

ROOF LEGEND

INSULATION. SEE ROOF CORE LEGEND.

ROOF DRAIN (RD) OR OVERFLOW ROOF DRAIN (ORD) EXHAUST FAN/UNIT EXHAUST FAN LOCATION OF ROOF TEST CORE AREA OF ASBESTOS ENCAPSULATED SHINGLES TO BE REMOVED BAGGED AND DISPOSED OF PER APPLICABLE REGULATIONS AND


REQUIREMENTS, REPLACE PER 01/A-1

ISSUANCES BIDS AND PERMITS 4 FEB 2023

SCALE: As indicated

architektura PLC

architektura PLC
PO Box 971
Grand Haven, MI 49417
p: 616.843.1002
www.architekturaplc.com



AL ELEMENTARY - ROOF REPLACEMENT HOOLS OF PETOSKE MI 49770

PROJECT NO. 1210
ISSUANCES

4 FEB 2023 BIDS AND PERMITS

REVISIONS
NO. DATE DESCRIPTION

O. DATE DESCRIPT

XISTING PHOT

SCALE:

A-9